

PO BOX 614 Grants Pass, OR 97528 USA 541.226.2858 www.TheAmericanRootCompany.com

BigFootRoot Boost

SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name Product Use: Supplier: Address: Phone Number: Emergency Number:

Big Foot Root Boost Soil Amendment The American Root Company, LLC. 1576 SE N St., Grants Pass, OR 97526 USA 541-226-2858 (Monday-Friday, 9:00 a.m. – 5:00 p.m.) In an emergency call 911

2. HAZARDS IDENTIFICATION

OSHA Regulatory Status: Hazard Communication Standard (29 CFR 1910.1200). Classification: Single Exposure: Category 3 Prevention Statements:

Signal Word: Warning Hazard Symbols: exclamation mark



May cause respiratory irritation.

Prevention Statements: Avoid breathing dust Use outdoors or in a well-ventilated area Response Statements: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Storage: Store in a dry area. Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredien</u>t Cellulose <u>CAS #</u> 9004-34-6 Concentration (w/w %) 99.9

*Exact percentages vary based on batch to batch variability. Ingredients not identified are proprietary or non-hazardous.

If Inhaled Move to fresh air. If irritation or other symptoms occurs, get medical attention.					
If on Skin:	No first aid should be nee	eded.			
If in Eyes:	Rinse opened eye for sev	veral minutes under running water. If	firritation persists or for		
	foreign body in the eye, g	et medical attention.			
If Swallowed:	If symptoms persist consult doctor.				
5. FIRE FIGHTI	NG MEASURE	S			
Extinguishing Media:	Use media th	nat is appropriate for surrounding fire	9.		
Special Exposure Hazards: None known					
Special Protective Eq	uipment /				
Procedures for Firefig	ghters: None known				
. ACCIDENTAL	RELEASE	MEASURES			
Personal Precautions:	None know				
Environmental Precaut					
Containment / Clean- Up Methods:	Sweep up and	collect for proper disposal			
7. HANDLING &	STORAGE				
Handling:	Avoid breathing dust. Ensui	re good ventilation/exhaustion at the	workplace.		
Storage:	Store in a dry area. Avoid c	re in a dry area. Avoid consistent temperature above 120 degrees Fahrenheit. Keep			
Storage.	0.010 11 a ary aroa. 7 word o		grooo ramonnom roop		
-	container tightly sealed.		g		
_	container tightly sealed.	SONAL PROTECTION			
_	container tightly sealed.		1		
3. EXPOSURE CO Engineering Controls:	container tightly sealed.	SONAL PROTECTION where the exposure limit may be ex	1		
B. EXPOSURE CO	container tightly sealed. ONTROLS/PERS For operations ventilation is re	SONAL PROTECTION where the exposure limit may be ex	1		
3. EXPOSURE CO Engineering Controls:	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio	SONAL PROTECTION where the exposure limit may be ex ecommended. he required for normal use. n: Safety glasses or goggles if need	l cceeded, local exhaust led to prevent eye contact.		
3. EXPOSURE CO Engineering Controls: Personal Protective	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P	SONAL PROTECTION where the exposure limit may be ex ecommended. he required for normal use. n: Safety glasses or goggles if need protection: None required for norma	I acceeded, local exhaust ed to prevent eye contact. I use. For operations		
3. EXPOSURE CO Engineering Controls: Personal Protective	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a	kceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be		
8. EXPOSURE CO Engineering Controls: Personal Protective	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C	SONAL PROTECTION where the exposure limit may be ex ecommended. he required for normal use. n: Safety glasses or goggles if need protection: None required for norma	kceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be		
B. EXPOSURE CO Engineering Controls: Personal Protective Equipment :	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection.	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and	kceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & C 	CONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protection Respiratory P where the dust used. Follow C protection.	SONAL PROTECTION where the exposure limit may be ex- ecommended. he required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and PRETIES	I cceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be d use of respiratory		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & C Appearance: 	CONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder.	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. In: Safety glasses or goggles if need Protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and PPERTIES Upper/Lower flammability limits:	I cceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & O Appearance: Odor: 	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. In: Safety glasses or goggles if need Protection: None required for norma to concentration may be excessive, a DSHA regulations in the selection and SHA regulations in the selection and PERTIES Upper/Lower flammability limits: Vapor pressure:	kceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available Not available		
 EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & O Appearance: Odor: Odor threshold: 	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. In: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and SHA regulations in the selection and PERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1)	I cceeded, local exhaust led to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : D. PHYSICAL & O Appearance: Odor: Odor threshold: pH: 	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available Not applicable	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. In: Safety glasses or goggles if need Protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and DSHA regulations in the selection and DPERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1) Specific Gravity: (H ₂ O = 1)	I cceeded, local exhaust led to prevent eye contact. l use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable Not applicable		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : D. PHYSICAL & O Appearance: Odor: Odor threshold: pH: Melting/Freezing point: 	container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available Not applicable Not applicable	SONAL PROTECTION where the exposure limit may be ex- ecommended. he required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and OPERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1) Specific Gravity: (H ₂ O = 1) Solubility:	I cceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable Not applicable Not applicable		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : D. PHYSICAL & O Appearance: Odor: Odor threshold: pH: 	Container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available Not applicable	SONAL PROTECTION where the exposure limit may be ex- ecommended. he required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and OSHA regulations in the selection and PERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1) Specific Gravity: (H ₂ O = 1) Solubility: Partition coefficient	I cceeded, local exhaust led to prevent eye contact. l use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable Not applicable		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & O Appearance: Odor: Odor threshold: pH: Melting/Freezing point: Boiling point: 	Container tightly sealed. For operations ventilation is re Clothing: Non Eye Protection Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available Not applicable Not applicable Not applicable	SONAL PROTECTION where the exposure limit may be ex- ecommended. le required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and PERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1) Specific Gravity: (H ₂ O = 1) Solubility: Partition coefficient (n-octanol-water):	I cceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable Not applicable Not applicable Not applicable Not determined		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & O Appearance: Odor: Odor threshold: pH: Melting/Freezing point: Boiling point: Flash point: 	container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available Not applicable Not applicable Not applicable	SONAL PROTECTION where the exposure limit may be ex- ecommended. The required for normal use. In: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and SHA regulations in the selection and PERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1) Specific Gravity: (H ₂ O = 1) Solubility: Partition coefficient (n-octanol-water): Auto-ignition temperature:	kceeded, local exhaust led to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable Not applicable Not applicable Not determined Not applicable		
 B. EXPOSURE CO Engineering Controls: Personal Protective Equipment : PHYSICAL & O Appearance: Odor: Odor threshold: pH: Melting/Freezing point: Boiling point: 	container tightly sealed. ONTROLS/PERS For operations ventilation is re Clothing: Non Eye Protectio Respiratory P where the dust used. Follow C protection. CHEMICAL PRO White fluffy powder. Earthy Not available Not applicable Not applicable Not applicable Not applicable Not applicable Not available	SONAL PROTECTION where the exposure limit may be ex- ecommended. le required for normal use. n: Safety glasses or goggles if need protection: None required for norma t concentration may be excessive, a DSHA regulations in the selection and PERTIES Upper/Lower flammability limits: Vapor pressure: Vapor density: (air =1) Specific Gravity: (H ₂ O = 1) Solubility: Partition coefficient (n-octanol-water):	I cceeded, local exhaust ed to prevent eye contact. I use. For operations dust respirator may be d use of respiratory Not available Not available Not applicable Not applicable Not applicable Not applicable Not determined		

10. STABILITY & REACTIVITY

Reactivity hazards:

No further relevant information available

Chemical stability:	No decomposition if used according to specifications
Conditions to avoid:	No further relevant information available
Incompatible materials:	No further relevant information available
Hazardous decomposition	No dangerous decomposition products known
products:	

11. TOXICOLOGICAL INFORMATION

Information:	Ingestion: No adverse effects expected with unused material Inhalation: Inhalation of excessive concentrations of dust may cause irritation of mucous membranes and upper respiratory tract. Eye: Contact with excessive concentrations of dust may cause irritation. Skin: No known hazard.
	Sensitization: No adverse effects expected. Medical Conditions Aggravated By Exposure: None currently known.
Acute toxicity:	No toxicity data available
Corrosivity:	This is not a corrosive product
Eye	Contact may cause mechanical irritation
Respiratory/Skin sensitization:	No sensitizing effects known
Germ cell mutagenicity:	No specific data is available. This product is not expected to present a germ cell mutagenicity hazard
Carcinogen Status	No toxicity data available. The substance does not meet the criteria for carcinogen under Regulation (EC) No 1272/2008
Reproductive toxicity: Repeat Dose Toxicity	Attapulgite-type clay: No specific data is available. No toxicity data available.

12. ECOLOGICAL INFORMATION

Toxicity:	None known
Persistence/ degradability:	No further relevant information available
Bioaccumulative potential:	No further relevant information available
Mobility in soil:	No further relevant information available
Other adverse effects:	No further relevant information available
Results of PBT and vPvB	PBT: Not applicable
assessment	vPvB: Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Waste treatment methods: Recommendation; Recycle or dispose with household trash Uncleansed packaging: Recommendation; Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

	<u>DOT</u>	IMDG	IATA
UN number:	Not applicable	Not applicable	Not applicable
Proper shipping name:	Not regulated under DOT	Not regulated	Not regulated
Hazard class(es):	Not applicable	Not applicable	Not applicable
Packing group:	Not applicable	Not applicable	Not applicable
Special precautions:	None		

15. REGULATORY INFORMATION

CERCLA	This product is not subject to CERCLA release reporting.
SARA (311/312)	None
SARA 313	None
TSCA	Components of this product are listed on the EPA TSCA Inventory or exempt from notification requirements
EINECS	Components of this product are listed on the EINECS Inventory or exempt from notification requirements
JAPAN MITI:	No data available
AICS:	No data available

16. OTHER INFORMATION

HMIS Ratings: Health - 0 Flammability - 0

Reactivity - 0

Disclaimer: The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, The American Root Company and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, neither The American Root Company nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. It is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact The American Root Company to confirm that you have the most current product label and SDS.

This Safety Data Sheet (SDS) may provide more information than the product label but does not replace or modify the product labeling (attached to and accompanying the product container). The product SDS and the product label both provide consistent and important health, safety, and environmental information as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom"). This requirement covers employers, employees, emergency responders, users and others handling the product. All necessary hazard classification and appropriate precautionary, use, storage, and disposal information is set forth on the labeling and the SDS.

SDS preparation date: 12/5/2022 New **Revisions:**

SDS from Author

Replaces SDS dated: Not Applicable Version: 1.0

Page 5 of 4