

Sugar Peak™ “Advanced” Feeding Chart

For hydroponic recovery systems

Non-recovery systems, hand-feeding and topping-off use half-strength solution.

General use rates at tsp (teaspoons) per U.S. Gallon and ml (milliliters) per Liter.

SUGAR PEAK FORMULA PHASE	Weeks	VEGETATIVE		TRANSITION		FLOWERING		GRAND FINALE		BRIXIMUS MAXIMUS (FOLIAR SPRAY)	
		tsp	ml	tsp	ml	tsp	ml	tsp	ml	tsp	ml
STARTS	1	1.0	1.3								
VEGETATIVE	1.5 to 2.5	4.0	5.3								
TRANSITION	2 to 3			4.0	5.3						
FLOWERING	2 to 3					6.0	7.9				
RIPENING	1.5 to 2.5							4.0	5.3	12.0	15.9

Shake Vigorously Before Each Use

Accurately measure, add and mix well into the desired volume of fresh water.

For best results: continuously aerate reservoir solutions.

Recommended pH range: 5.4-6.5. Do not let the pH exceed 6.8.

Recovery systems: Recommend to drain and add fresh solution every 14-28 days.

Hand-Feeding: Use with each watering (feeding). For slower growth and/or low light levels use every 2-4 weeks or as needed.

This chart is only intended as general guidelines and use rates may be adjusted as per individual needs.

For additional information visit www.EarthJuice.com

Sugar Peak™ “Intermediate” Feeding Chart

For hydroponic recovery systems

Non-recovery systems, hand-feeding and topping-off use half-strength solution.

General use rates at tsp (teaspoons) per U.S. Gallon and ml (milliliters) per Liter.

SUGAR PEAK FORMULA PHASE	Weeks	VEGETATIVE		FLOWERING		GRAND FINALE	
		tsp	ml	tsp	ml	tsp	ml
STARTS	1	1.0	1.3				
VEGETATIVE	3 to 4	4.0	5.3				
FLOWERING	2 to 4			6.0	7.9		
RIPENING	2 to 3					4.0	5.3

Shake Vigorously Before Each Use

Accurately measure, add and mix well into the desired volume of fresh water.

For best results: continuously aerate reservoir solutions.

Recommended pH range: 5.4-6.5. Do not let the pH exceed 6.8.

Recovery systems: Recommend to drain and add fresh solution every 14-28 days.

Hand-Feeding: Use with each watering (feeding). For slower growth and/or low light levels use every 2-4 weeks or as needed.

This chart is only intended as general guidelines and use rates may be adjusted as per individual needs.

For additional information visit www.EarthJuice.com

Sugar Peak™ “Basic” Feeding Chart

For hydroponic recovery systems

Non-recovery systems, hand-feeding and topping-off use half-strength solution.

General use rates at tsp (teaspoons) per U.S. Gallon and ml (milliliters) per Liter.

SUGAR PEAK FORMULA PHASE	Weeks	VEGETATIVE		FLOWERING	
		tsp	ml	tsp	ml
STARTS	1	1.0	1.3		
VEGETATIVE	3 to 4	4.0	5.3		
FLOWERING	3 to 5			6.0	7.9
RIPENING	1 to 2			2.0	2.7

Shake Vigorously Before Each Use

Accurately measure, add and mix well into the desired volume of fresh water.

For best results: continuously aerate reservoir solutions.

Recommended pH range: 5.4-6.5. Do not let the pH exceed 6.8.

Recovery systems: Recommend to drain and add fresh solution every 14-28 days.

Hand-Feeding: Use with each watering (feeding). For slower growth and/or low light levels use every 2-4 weeks or as needed.

This chart is only intended as general guidelines and use rates may be adjusted as per individual needs.

For additional information visit www.EarthJuice.com