



PISCES

[HOMEGROW | INDOOR | SINGLE OR MULTI TIER]

THE PISCES IS THE FIRST LIGHT OF THIS DESIGN BY FOHSE, AND CAN BE UTILIZED FOR GROWING **ANY PLANT**.

The Pisces' innovative design is perfect for hobbyists and home gardeners alike. This fixture can be folded and stored with ease. Its compact size and light weight make

it optimal for hanging in grow tents. This is a **FOHSE** light stripped down to its bare necessities. Now, growers won't have to break the bank to get long lasting light.



PISCES 7

700W
PPE
2.61-2.71 $\mu\text{mol}/\text{J}$
PPF*
1899 $\mu\text{mol}/\text{s}$

PISCES 9

900W
PPE
2.61-2.72 $\mu\text{mol}/\text{J}$
PPF*
2494 $\mu\text{mol}/\text{s}$

All options available in a 5ft width for compatibility with **Grow Glide** racks. Talk to a lighting expert today and get a custom quote for your facility.

[GET A QUOTE](#)



* Options up to. Subject to change without notice. Tolerance $\pm 10\%$

PISCES 7 [700W]

PPE


2.61-2.71
μmol/J

PPF*


1899
μmol/s

IP RATING

IP65



FIXTURE SPECS	PISCES STANDARD & 5FT WIDTH
LED Type	San'an 3V 3030+San'an 3535 660nm
Consumption Wattage at 100% Power	700
Maximum BTU Output	2387
Input Voltage Options	120 to 277
Max Ambient Air Operating Temp	104°F



FIXTURE SPECS	STANDARD WIDTH	5FT WIDTH
Dimensions	42" x 43.5" x 2"	58" x 43.5" x 2"
Weight	23 lbs.	29 lbs.

SCAN TO RECEIVE A

**CUSTOM
LIGHT PLAN**



* Options up to. Subject to change without notice.
Tolerance ±10%

© Copyright 2023** Fohse, Inc.

**Specs updated quarterly and are subject to change

PISCES 9 [900W]

PPE

2.61-2.72
μmol/J

PPF*


2494
μmol/s

IP RATING

IP65



FIXTURE SPECS	PISCES STANDARD & 5FT WIDTH
LED Type	San'an 3V 3030+San'an 3535 660nm
Consumption Wattage at 100% Power	900
Maximum BTU Output	3069
Input Voltage Options	120 to 277
Max Ambient Air Operating Temp	104°F



FIXTURE SPECS	STANDARD WIDTH	5FT WIDTH
Dimensions	42" x 43.5" x 2"	58" x 43.5" x 2"
Weight	24 lbs.	30 lbs.

SCAN TO RECEIVE A

CUSTOM LIGHT PLAN



* Options up to. Subject to change without notice.

Tolerance ±10%

© Copyright 2023** Fohse, Inc.

**Specs updated quarterly and are subject to change